

## z2-Environment - Improvement #1960

### Make dev repo search depth for modules configurable

07.12.2016 14:24 - Henning Blohm

|   |               |                        |            |
|---|---------------|------------------------|------------|
| <b>Status:</b>  | Resolved      | <b>Start date:</b>     | 07.12.2016 |
| <b>Priority:</b>  | Normal        | <b>Due date:</b>       |            |
| <b>Assignee:</b>  | Henning Blohm | <b>% Done:</b>         | 100%       |
| <b>Category:</b>  | z2-base       | <b>Estimated time:</b> | 0.00 hour  |
| <b>Target version:</b>  | 2.5           |                        |            |
| <b>origin:</b>  |               |                        |            |
| <b>Description</b>  |               |                        |            |
| This is so that deeply nested component repos (for example due to gitcr roots use as in <a href="#">#1958</a> ) can be more conveniently used in a development workspace. |               |                        |            |
| (to be downported to v 2.4)   |               |                        |            |

#### History

##### #1 - 11.12.2016 13:53 - Henning Blohm

- Status changed from New to In Progress

##### #2 - 11.12.2016 23:00 - Henning Blohm

- Status changed from In Progress to To Be Documented

##### #3 - 09.04.2017 19:39 - Henning Blohm

- Status changed from To Be Documented to Resolved

- % Done changed from 0 to 100

Applied in changeset internal:internal-office|r2562.