

z2-Environment - Feature #879

Simplified z2-git operations

21.08.2012 14:59 - Redmine Admin

Status:	Resolved	Start date:	21.08.2012
Priority:	Normal	Due date:	
Assignee:	Udo Offermann	% Done:	100%
Category:	z2-base	Estimated time:	0.00 hour
Target version:	2.1		
origin:			
Description			
Subtasks:			
Feature # 878: Eclipsoid: Add Git support			Resolved
Feature # 880: gitcr improvements			Resolved

History

#1 - 21.08.2012 15:13 - Redmine Admin

The z2-git scenario needs to be simplified.
The goals are:

- no need for a git-setup script anymore
- z2-git component repos should refer to the remote origin (i.e. <http://git.z2-environment.net/z2-base>.)
- Eclipsoid should offer the possibility to create a local clone for a given gitcr for development purposes.

#2 - 22.08.2012 10:11 - Henning Blohm

- Target version changed from 3 to 2.1

#3 - 24.08.2012 19:54 - Udo Offermann

- Status changed from New to In Progress

#4 - 26.08.2012 13:53 - Henning Blohm

Just came across

<http://stackoverflow.com/questions/1209999/using-git-to-get-just-the-latest-revision>

Wouldn't it make sense to only clone the latest revision when nothing is there and go from there with pulls?

In terms of eclipsoid features: When cloning from eclipsoid, you would actually clone using a remote ref of the working dir repo clone (that may be incomplete in this case).

#5 - 27.08.2012 09:22 - Udo Offermann

JGit doesn't support shallow clones as of today - see <http://stackoverflow.com/questions/11475263/shallow-clone-with-jgit>

#6 - 07.09.2012 09:34 - Udo Offermann

- Status changed from In Progress to Resolved