

z2-Environment - Feature #885

Support more DataSource flags w.r.t JTA

27.08.2012 16:15 - Henning Blohm

Status:	Rejected	Start date:	27.08.2012
Priority:	Normal	Due date:	
Assignee:	Henning Blohm	% Done:	0%
Category:	z2-base	Estimated time:	0.00 hour
Target version:	2.1		
origin:			
Description Currently, the default is the enlist in the work unit (and hence re-use along the workunit) or not at all. Enlisting in the workunit "transparently" integrates with JTA. But sometimes this is not desired as the current behavior may create long-running transactions unintendedly (just some activity outside of a JTA tx). It would hence be nice to support the following additional behaviors: a) Require JTA transaction present ("JTA transaction required") This is useful, if you really want to manage transaction demarcation and fail hard, if there is none. b) Enlist in workunit if there is a JTA tx, otherwise return an autocommit connection ("JTA supported") This is useful, if you are ok with non-TX stuff but still want to have control over TX demarcation. Now a) has a downside: Some utilities (e.g. flyway, quartz) can be used with JNDI data sources but will not integrate with JTA. For those exceptional cases, the data source lookup could be performed with a specialized marker interface (?type=...NonJTARequiringDatasource, ?type=JTAAutocommittingDatasource etc).			

History

#1 - 07.09.2012 09:37 - Udo Offermann

- Category set to z2-base

#2 - 08.09.2012 10:48 - Henning Blohm

- Status changed from New to Rejected

As it turns out, supporting an arbitrary JTA impl with some specific pool is not really going to work well.

Instead: Use z2 jta as a simple pseudo-distributed JTA impl, switch completely to Atomikos or the like otherwise.

See als [How to TransactionManager](#).